



TYVASO DPI[®] TITRATION GUIDE

Getting started and reaching
your optimal dose

TYVASO DPI is a small, portable inhaler that uses prefilled cartridges and features a simple-to-use design.

Use this guide to learn about:

- ✓ How to take TYVASO DPI
- ✓ What to expect during the titration process (slowly increasing your dose)
- ✓ Why reaching your optimal dose matters for your treatment

DPI=dry powder inhaler.

TYVASO DPI[®]
(treprostinil) INHALATION
POWDER

TYVASO DPI can go wherever your day takes you

Discreet and easy to bring with you

TYVASO DPI (treprostinil) Inhalation Powder quickly delivers medicine to the site of disease, where it's needed. This portable inhaler allows for dosing at home or on the go.

TYVASO DPI comes with prefilled, single-dose cartridges and does not require cleaning or charging.

- Plan for treatment sessions **4x daily** (approximately every **4 waking hours**)
- Doses are taken in **1 breath** per cartridge
- Replace your inhaler every **7 days**




See how simple it is to use TYVASO DPI. Visit TYVASODPI.com to learn more.

You can find details about using TYVASO DPI in the **Instructions for Use manual** at TYVASO.com/instructions.

What to expect while reaching your optimal dose

Finding the dose that works best for you

- When starting TYVASO DPI, you may begin with a titration phase. During this time, you will work with your doctor to develop a plan to increase your dose until you reach your optimal dose
- Depending on how you respond to treatment, your doctor may also lower your dose at times during the titration phase



Turn to the next page for more information about titrating TYVASO DPI.

Why is it important to reach your optimal dose?

Your optimal dose will help you get the full benefit of your medicine. Through the titration process, you'll still take your prescribed dose 4x daily, as directed by your doctor.

TYVASO DPI[®]
(treprostinil) INHALATION
POWDER

How to titrate TYVASO DPI



Adjusting your dose

Your doctor will work with you to increase your dose until you reach your optimal dose. If you experience side effects, reach out to your nurse or doctor. Do not stop taking TYVASO DPI without talking to your healthcare provider.

Most people start with the **16 mcg cartridge, 4x daily**, and **increase** the cartridge strength every **1-2 weeks** until they reach their optimal dose.



Titration kits are available

There are titration kits available for TYVASO DPI that can help make the process of starting and titrating your treatment easier.

Each kit contains a carrying case and a number of inhalers and medicine cartridges that are tailored to your current stage of treatment.



Which cartridge should you use?

Use the right cartridge for your prescribed dose

Cartridge colors

Cartridges are color-coded based on their specific doses.



Single-cartridge dosing

You will need just one cartridge. Only one breath per cartridge is needed.

For example, if you're prescribed 16 mcg for each session, you may use:



Multiple-cartridge dosing

If you're prescribed a dose higher than 80 mcg, you will need 2 or more cartridges.

For example, if you're prescribed 96 mcg, you may use:



Always take your medicine as prescribed. If you are unsure about your dose, check with your healthcare provider.

TYVASO DPI
(treprostinil) INHALATION POWDER

You may have side effects...



Don't let side effects stop you from getting the full benefit of your medicine.

It's important to talk to your healthcare provider and continue taking TYVASO DPI unless told to stop. Be sure to contact your healthcare team about things you can do to help manage side effects **while continuing treatment**, such as:



COUGH/THROAT IRRITATION

- ✓ Review proper technique for using your prescribed device
- ✓ Before treatment, drink very cold or very warm water
- ✓ If needed, use a throat spray to numb your throat before treatment



HEADACHE

- ✓ Use an over-the-counter pain reliever, like acetaminophen

Talk to your healthcare provider to see if slowing the pace at which you increase your dose could help.

These tips may help you manage common side effects with TYVASO DPI, based on healthcare provider experience. They are not intended to be considered medical advice.

Your support team is here to help

United Therapeutics Cares provides you with ongoing, one-on-one education and support beginning on day one of your United Therapeutics treatment journey. Your dedicated Patient Navigator will personalize support and answer questions about what to expect as you begin treatment, insurance coverage, out-of-pocket cost assistance, and prescription fulfillment.



Work with your provider to enroll in United Therapeutics Cares. Visit [UnitedTherapeuticsCares.com](https://www.unitedtherapeuticscares.com) to learn more.

If you have any questions, call 1-844-864-8437 to speak with your Patient Navigator, Monday through Friday, 8:30 am - 7 pm ET.

Getting started with TYVASO

Your medicine will be shipped directly to you in a kit that contains all you need to start and continue with TYVASO DPI.

TYVASO DPI is available only through a Specialty Pharmacy (SP). Your SP provider is part of your healthcare team and focuses on providing you with in-home training and 24-hour support.

Here's how to contact them:

accredo[®]

Accredo Health Group, Inc.
an Express Scripts company

PHONE: 1-866-344-4874

FAX: 1-800-711-3526

[accredo.com](https://www.accredo.com)



PHONE: 1-877-242-2738

FAX: 1-877-943-1000

[cvsspecialty.com](https://www.cvsspecialty.com)

TYVASO DPI[®]
(treprostinil) INHALATION
POWDER



TYVASO DPI[®]
(treprostinil) INHALATION
POWDER

Learn more about TYVASO DPI at
[TYVASODPI.com](https://www.tyvasodpi.com).

**United
Therapeutics**
A PUBLIC BENEFIT CORPORATION

TYVASO DPI is a registered trademark of United Therapeutics Corporation.

All other brands are trademarks of their respective owners. The makers of these brands are not affiliated with and do not endorse United Therapeutics or its products.

© 2025 United Therapeutics Corporation. All rights reserved. US/TYV/1168 Printed in USA.